

DISK REPRODUCTION APPARATUS

BACKGROUND OF THE INVENTION

1. Field of the Invention

5 The present invention relates to a disk reproduction apparatus such as a Carousel player capable of accommodating a plurality of disks such as CD and DVD in disk mount areas and randomly accessing a desired track or the like of a desired disk in a disk mount area.

10 **2. Description of the Related Art**

In a general Carousel player, a tray is moved along the horizontal direction so that the tray can be pulled out of the housing of a player main body or entered into the housing. A rotary table is rotatively mounted on the tray around a vertical line and a plurality of disks, e.g., five disks are placed on the 15 rotary table at an equal angle interval around the rotation axis. Each disk mount area of the rotary disk has a U-character shaped recess having a predetermined size and opening in the radial direction of the rotary table. A lower predetermined surface of the disk in the mount area is exposed downward from the rotary table via the U-character shaped recess. A traverse 20 can move up and down. At the up-position, it raises and passes through the U-character shaped recess to pressure-contact a partial exposed surface of the disk and reproduce the disk. The Carousel player houses a plurality of disks including CD and DVD-Audio (Digital Video Disk - Audio) and randomly accesses a desired track of a desired housed disk to reproduce the track. 25 DVD-Audio has the two-layerd hierarchical structure for storing tracks. Namely, an upper layer called a group and a lower layer called a track. The same track can exist in different groups. Therefore, when a user designates a track for program reproduction, the group number is first designated and then the track

4702146 20020726 JP

is designated.

When a user designates a track to be registered for program reproduction by CD, a conventional Carousel player displays an input frame for 5 a group number similar to DVD-Audio. A user not accustomed to the player may be confused.

SUMMARY OF THE INVENTION

It is an object of this invention to provide a disk reproduction apparatus 10 capable of solving the above-described problem.

This invention is directed to a disk reproduction apparatus capable of accommodating a plurality of disks in disk mount areas and randomly accessing any track in any disk in the disk mount areas. And, this invention's disk reproduction apparatus is constituted so as to comprise means for discriminating whether a track corresponding to a disk number entered by a 15 user is a track of a first type of disk or a second type disk, means for requesting the user to enter a track number immediately after entering the disk number, when the discriminated track is a track of the first type of disk, and means for requesting the user to enter a group number and then requesting to enter a 20 track number after the group number is entered, when the discriminated track is a track of the second type disk.

According to a first aspect of this invention, a disk reproduction apparatus is provided a disk reproduction apparatus having a plurality of disk mount areas each accommodating a disk designated by a disk number 25 corresponding to the disk mount area, a plurality type of disks being accommodated in the disk mount areas, each disk having a reproduction designation unit which is a minimum unit capable of being randomly accessed in response to a reproduction instruction, a method of designating the

10201-0502/660

reproduction designation unit of each disk being different for each disk type, each reproduction designation unit being able to be reproduced by randomly accessing the reproduction designation unit of each disk accommodated in the disk mount area, wherein when a user designates a predetermined
5 reproduction designation unit of a predetermined disk, the disk type is judged from a disk number designated by the user, and the user is required to enter data in an input item order corresponding to the disk type.

The disk reproduction apparatus includes at least a Carousel player. It
10 is assumed that the disk type includes a CD, a DVD-Audio, a DVD-Video (Digital Video Disk - Video) and other optical disks having the same diameter as CD and the like. The reproduction designation unit is a Track for CD and DVD-Audio, and a Chapter for DVD-Video. When a user designates a predetermined reproduction designation unit of a predetermined disk, the user
15 designates the reproduction designation unit for registration of program reproduction, the user designates a track to be randomly accessed, or the user designates other subjects. Designating the reproduction designation unit by a user is generally performed by a visual display guidance in a display window. ✓
If two types of disks, CD and DVD-Audio are mounted on the disk reproduction
20 apparatus, the input item order corresponding to the disk type is as follows. (a) Three input frames for a disk number, a group number and a track number are always displayed in an input request window for a user. In the case of CD, when a user input a disk number, a cursor indicating the input frame is moved to the track number input frame or the displayed input item name "Track" is
25 highlighted. In the case of DVD-Audio, when the user input a disk number, the cursor indicating the input frame is moved to the group number input frame or the displayed input item name "Group" is highlighted. After the group number is input, the cursor may be moved to the track number input frame or the

42101-05522660

input item name "Track" may be highlighted. Alternatively, (b) in the case of CD, the group number input frame is not displayed in the input request window after a user inputs a disk number, but only the track number input frame is displayed. In the case of DVD-Audio, the group number input window and track number input frame are displayed in the input request window after a user inputs a disk number. When a user designates the reproduction designation unit, although the input data is generally a group number or a track number, the input data is not limited only to a number but it may be a character or the like.

10 For example, if a disk corresponding to the disk number designated by a user is a CD, the user is immediately requested to input a track number after the disk number without being requested to input a group number or the like. A user is requested to enter data in the input item order corresponding to the disk type, i.e., the user is not requested to enter data corresponding to the input item of another disk type different from the disk type corresponding to the designated disk number. Therefore, the user can smoothly and efficiently designate the reproduction designation unit.

15

20

25

30

35

40

45

50

55

60

65

70

75

80

85

90

95

100

105

110

115

120

125

130

135

140

145

150

155

160

165

170

175

180

185

190

195

200

205

210

215

220

225

230

235

240

245

250

255

260

265

270

275

280

285

290

295

300

305

310

315

320

325

330

335

340

345

350

355

360

365

370

375

380

385

390

395

400

405

410

415

420

425

430

435

440

445

450

455

460

465

470

475

480

485

490

495

500

505

510

515

520

525

530

535

540

545

550

555

560

565

570

575

580

585

590

595

600

605

610

615

620

625

630

635

640

645

650

655

660

665

670

675

680

685

690

695

700

705

710

715

720

725

730

735

740

745

750

755

760

765

770

775

780

785

790

795

800

805

810

815

820

825

830

835

840

845

850

855

860

865

870

875

880

885

890

895

900

905

910

915

920

925

930

935

940

945

950

955

960

965

970

975

980

985

990

995

1000

1005

1010

1015

1020

1025

1030

1035

1040

1045

1050

1055

1060

1065

1070

1075

1080

1085

1090

1095

1100

1105

1110

1115

1120

1125

1130

1135

1140

1145

1150

1155

1160

1165

1170

1175

1180

1185

1190

1195

1200

1205

1210

1215

1220

1225

1230

1235

1240

1245

1250

1255

1260

1265

1270

1275

1280

1285

1290

1295

1300

1305

1310

1315

1320

1325

1330

1335

1340

1345

1350

1355

1360

1365

1370

1375

1380

1385

1390

1395

1400

1405

1410

1415

1420

1425

1430

1435

1440

1445

1450

1455

1460

1465

1470

1475

1480

1485

1490

1495

1500

1505

1510

1515

1520

1525

1530

1535

1540

1545

1550

1555

1560

1565

1570

1575

1580

1585

1590

1595

1600

1605

1610

1615

1620

1625

1630

1635

1640

1645

1650

1655

1660

1665

1670

1675

1680

1685

1690

1695

1700

1705

1710

1715

1720

1725

1730

1735

1740

1745

1750

1755

1760

1765

1770

1775

1780

1785

1790

1795

1800

1805

1810

1815

1820

1825

1830

1835

1840

1845

1850

1855

1860

1865

1870

1875

1880

1885

1890

1895

1900

1905

1910

1915

1920

1925

1930

1935

1940

1945

1950

1955

1960

1965

1970

1975

1980

1985

1990

1995

2000

2005

2010

2015

2020

2025

2030

2035

2040

2045

2050

2055

2060

2065

2070

2075

2080

2085

2090

2095

2100

2105

2110

2115

2120

2125

2130

2135

2140

2145

2150

2155

2160

2165

2170

2175

2180

2185

2190

2195

2200

2205

2210

2215

2220

2225

2230

2235

2240

2245

2250

2255

2260

2265

2270

2275

2280

2285

2290

2295

2300

2305

2310

2315

2320

2325

2330

2335

2340

2345

2350

2355

2360

2365

2370

2375

2380

2385

2390

2395

2400

2405

2410

2415

2420

2425

2430

2435

2440

2445

2450

2455

2460

2465

2470

2475

2480

2485

2490

2495

2500

2505

2510

2515

2520

2525

2530

2535

2540

2545

2550

2555

2560

2565

2570

2575

2580

2585

2590

2595

2600

2605

2610

2615

2620

2625

2630

2635

2640

2645

2650

2655

2660

2665

2670

2675

2680

2685

2690

2695

2700

2705

2710

2715

2720

2725

2730

2735

2740

2745

2750

2755

2760

2765

2770

2775

2780

2785

2790

2795

2800

2805

2810

2815

2820

2825

2830

2835

2840

2845

2850

2855

2860

2865

2870

2875

2880

2885

2890

2895

2900

2905

2910

2915

2920

2925

2930

2935

2940

2945

2950

2955

2960

2965

2970

2975

2980

2985

2990

2995

3000

3005

3010

3015

3020

3025

3030

3035

3040

3045

3050

3055

3060

3065

3070

3075

3080

3085

3090

3095

3100

3105

3110

3115

3120

3125

3130

3135

3140

3145

3150

3155

3160

3165

3170

3175

3180

3185

3190

3195

3200

3205

3210

3215

3220

3225

3230

3235

3240

3245

3250

3255

3260

3265

3270

3275

3280

3285

3290

3295

3300

3305

3310

3315

3320

3325

3330

3335

3340

3345

3350

3355

3360

3365

3370

3375

3380

3385

3390

3395

3400

3405

3410

3415

3420

3425

3430

3435

3440

3445

3450

3455

3460

3465

3470

3475

3480

3485

3490

3495

3500

3505

3510

3515

3520

3525

3530

3535

3540

3545

3550

3555

3560

3565

3570

3575

3580

3585

3590

3595

3600

3605

3610

3615

3620

3625

3630

3635

3640

3645

3650

3655

3660

3665

3670

3675

3680

3685

3690

3695

3700

3705

3710

3715

3720

3725

3730

3735

3740

3745

3750

3755

3760

3765

3770

3775

3780

3785

3790

3795

3800

3805

3810

3815

3820

3825

3830

3835

3840

3845

3850

3855

3860

3865

3870

3875

3880

3885

3890

3895

3900

3905

3910

3915

3920

3925

3930

3935

3940

3945

3950

3955

3960

3965

3970

3975

3980

3985

3990

3995

4000

4005

4010

4015

4020

4025

4030

4035

4040

4045

4050

4055

4060

4065

4070

4075

4080

4085

4090

4095

4100

4105

4110

4115

4120

4125

4130

4135

4140

4145

4150

4155

4160

4165

4170

4175

4180

4185

4190

4195

4200

4205

4210

4215

4220

4225

4230

4235

4240

4245

4250

4255

4260

4265

4270

4275

4280

4285

4290

4295

4300

4305

4310

4315

4320

4325

4330

4335

4340

4345

4350

4355

4360

4365

4370

4375

4380

4385

4390

4395

4400

4405

4410

4415

4420

4425

4430

4435

4440

4445

4450

4455

4460

4465

4470

4475

4480

4485

4490

4495

4500

4505

4510

4515

4520

4525

4530

4535

4540

4545

4550

4555

4560

4565

4570

4575

4580

4585

4590

4595

4600

4605

4610

4615

4620

4625

4630

4635

4640

4645

4650

4655

4660

4665

4670

4675

4680

4685

4690

4695

4700

4705

4710

4715

4720

4725

4730

4735

4740

4745

4750

4755

4760

4765

4770

4775

4780

4785

4790

4795

4800

4805

4810

4815

4820

4825

4830

4835

4840

4845

4850

4855

4860

4865

4870

4875

4880

4885

4890

4895

4900

4905

4910

4915

4920

4925

4930

4935

4940

4945

4950

4955

4960

4965

4970

4975

4980

4985

4990

4995

5000

5005

5010

5015

5020

5025

5030

5035

5040

5045

5050

5055

5060

5065

5070

5075

5080

5085

5090

5095

5100

5105

5110

5115

5120

5125

5130

5135

5140

5145

5150

5155

5160

5165

5170

5175

5180

5185

5190

5195

5200

5205

5210

5215

5220

5225

5230

5235

5240

5245

5250

5255

5260

5265

5270

5275

5280

5285

5290

5295

5300

5305

5310

5315

5320

5325

5330

5335

5340

5345

5350

5355

5360

5365

5370

5375

5380

5385

5390

5395

5400

5405

5410

5415

5420

5425

5430

5435

5440

5445

5450

5455

5460

5465

5470

5475

5480

5485

5490

5495

5500

5505

5510

5515

5520

5525

5530

5535

5540

5545

5550

5555

5560

5565

5570

5575

5580

5585

5590

5595

5600

5605

5610

5615

5620

5625

5630

5635

5640

5645

5650

5655

5660

5665

5670

5675

5680

5685

5690

5695

5700

5705

5710

5715

5720

5725

5730

5735

5740

5745

5750

5755

5760

5765

5770

5775

5780

5785

5790

5795

5800

5805

5810

5815

5820

5825

5830

5835

5840

5845

5850

5855

5860

5865

5870

5875

5880

5885

5890

5895

5900

5905

5910

5915

5920

5925

5930

5935

5940

5945

5950

5955

5960

5965

5970

5975

5980

5985

5990

5995

6000

6005

6010

6015

6020

6025

6030

6035

6040

6045

6050

6055

6060

6065

6070

6075

6080

6085

6090

6095

6100

6105

6110

6115

6120

6125

6130

6135

6140

6145

6150

6155

6160

6165

6170

6175

6180

6185

6190

6195

6200

6205

6210

6215

6220

6225

6230

6235

6240

6245

6250

6255

6260

6265

6270

<

are sequentially selected from the upper level to the lower level and lastly to the lowermost level reproduction designation unit. Therefore, the input item order corresponding to the disk type is predetermined for each disk type and related to the hierarchical structure storing the reproduction designation unit of each

5 disk. Namely, a CD has one level so that the track number is requested to be input, whereas a DVD-Audio has two levels so that the group number and track number are requested to be sequentially input. A user can therefore designates the reproduction designation unit smoothly.

10 According to a third aspect of this invention, in the disk reproduction apparatus according to the first or second aspect of the invention, an input item name which the user is requested to input in the input item order may be an item name of a hierarchical structure of each disk.

15 The item names of the hierarchical structure of each disk are the group and track in the order from the upper level item name in the case of DVD-Audio, and the title and chapter in the order from the upper item name in the case of DVD-Video.

20 In designating the reproduction designation unit such as a track, items are sequentially selected from the upper level to the lower level and lastly to the lowermost level reproduction designation unit. The user is requested to input an item name of the hierarchical structure of each disk in the input item order. A user can definitely confirm the disk type and designate data of each input

25 item name smoothly.

According to a fourth aspect of this invention, in the disk reproduction apparatus according to the second or third aspect of the invention, if the disk

TOV#D1-05922660

type cannot be known, the user is requested to input data in the input item order corresponding to the hierarchical structure of a disk having the maximum number of levels of the hierarchical structure.

5 If the disk type is not known, a user is requested to input data in accordance with a disk required to enter the maximum number of inputs, i.e., the maximum number of levels. In this manner, necessary inputs can be ensured without any skip of inputs. If a user knows the disk type although the disk reproduction apparatus does not know it, unnecessary input items are
10 skipped by the user so that the reproduction designation unit can be designated speedily.

According to a fifth aspect of this invention, in the disk reproduction apparatus according to any one of the second to fourth aspects, the
15 hierarchical structure of each disk may be detected from management information which is first read from the disk, and the read hierarchical structure may be stored.

Prior to reproduction of the reproduction designation unit of a disk,
20 management information (called "TOC" in the case of CD) is once read from the disk. This read management information is stored and used at each reproduction, until the disk is dismounted from the apparatus. The disk hierarchical structure and/or hierarchical item names can be known from the management information. Therefore, the disk hierarchical structure is detected
25 from the management information when it is first area, and thereafter stored. Thereafter, each time the reproduction designation unit is designated, the input item order and input item name can be detected efficiently from the stored hierarchical structure.

1024707-06822660

According to a sixth aspect of this invention, in the disk reproduction apparatus according to the fifth aspect of the invention, the stored hierarchical structure of each disk may be erased when the disk together with the disk 5 mount area accommodating the disk is exposed.

When a user exchanges a disk corresponding to each disk number, the disk mount area accommodating the disk is usually exposed to the external. When the disk mount area is exposed, the stored hierarchical structure of the 10 disk is erased. In this case, a miss of the input item order or input item name to be caused by an misjudged disk type can be avoided.

According to a seventh aspect of this invention, in the disk reproduction apparatus according to the first to fifth aspects of the invention, when a user 15 designates a predetermined reproduction designation unit of a predetermined disk, the user may designate the reproduction designation unit for registration of program reproduction.

BRIEF DESCRIPTION OF THE DRAWINGS

20 Fig. 1 is a diagram showing a first example of a program reservation window displayed on a display unit of a Carousel player.

Fig. 2 is a diagram showing a second example of a program reservation window displayed on the display unit of the Carousel player.

25 Fig. 3 is a diagram showing an example of a program reservation window displayed on the display unit when a disk corresponding to the disk number designated by a user is a DVD-Video.

Fig. 4 is a flow chart illustrating the operation of a program which operates to store the hierarchical structure of disks placed in mount areas corresponding to respective disks.

5

Fig. 5 is a flow chart illustrating the operation of a program which operates to erase the hierarchical structure stored in a memory by the program shown in Fig. 4.

10

Fig. 6 is a flow chart illustrating the operation of a program for program reservation.

DETAILED DESCRIPTION OF THE EMBODIMENT

15

An embodiment of the invention will be described with reference to the accompanying drawings.

20

Fig. 1 is a diagram showing a first example of a program reservation window displayed on a display unit 10 of a Carousel player. In the Carousel player used in this embodiment of the invention, a tray is moved along the horizontal direction so that the tray can be pulled out of the housing of a player main body or entered into the housing. A rotary table is rotatively mounted on the tray around a vertical line and a plurality of disks, e.g., five disks are placed on the rotary table at an equal angle interval around the rotation axis. Each disk mount area of the rotary disk has a U-character shaped recess having a predetermined size and opening in the radial direction of the rotary table. A lower predetermined surface of the disk in the mount area is exposed downward from the rotary table via the U-character shaped recess. A traverse can move up and down. At the up-position, it raises and passes through the

25

00000000000000000000000000000000

U-character shaped recess to pressure-contact a partial exposed surface of the disk and reproduce the disk. The display unit 10 is mounted on the Carousel player main body. In Fig. 1, PGM1 indicates that a track is reserved which is reproduced as the first reproduction order of program reproduction. Each time 5 one track is registered, the display on the display unit changes to PGM2, PGM3,.... In addition to the reproduction order, words Disk, Group and Track are displayed in this order in a row. Under these words, input frames for a disk number, a group number and a track number are disposed. A user enters numbers by using ten-keys of a remote controller. The input frame in which 10 the user is requested to enter a number is highlighted as indicated at 11. The example shown in Fig. 1 indicates that the user entered "1" as the disk number and the disk having the disk number "1" is a DVD-Audio. Therefore, the group number input frame is highlighted as indicated at 11. If a disk corresponding to the disk number entered by a user is a DVD-Audio, after the group number is 15 entered by the user, the track number input frame is highlighted to request the user to enter a track number. If a disk corresponding to the disk number entered by a user is a CD, the group number input frame is not highlighted but the track number input frame is highlighted so that the user enters a track number in the track number input frame.

20

The type of each disk corresponding to a disk number may be checked from stored data which is obtained by making a user manually enter a disk type when the disk is placed in the mount area of the rotary table. The disk type may also be checked by using the techniques disclosed in JP-A-10-334547 and 25 JP-A-11-232768.

Fig. 2 is a diagram showing a second example of a program reservation window displayed on the display unit 10 of the Carousel player. In the

00000000000000000000000000000000

program reservation window shown in Fig. 1, if a disk corresponding to the disk number entered by in the disk number input frame is a CD, the group number input frame is not highlighted but the track number input frame is highlighted so that the user enters a track number in the track number input frame. In the 5 example shown in Fig. 2, if a disk corresponding to the disk number entered by in the disk number input frame is a CD, the group number input frame is erased to leave only the disk number input frame and track number input frame and upper words and highlight the track number input field as indicated at 11. With the program reservation window shown in Fig. 2, a user can definitely confirm 10 that the disk having the disk number selected by the user is a CD.

Fig. 3 is a diagram showing an example of a program reservation window displayed on the display unit when a disk corresponding to the disk number designated by a user is a DVD-Video. When a disk number is input, 15 the program reservation window shown in Fig. 1 is displayed and the disk number input frame is highlighted as indicated at 11. After a user enters a disk number in the disk number input frame and it is judged that the disk corresponding to the disk number is a DVD-Audio, the program reservation window shown in Fig. 1 continues to be displayed and the group number input frame is highlighted. If the disk is a CD, the program reservation window shown in Fig. 2 is displayed and the track number input frame is highlighted as indicated at 11, whereas if the disk is a DVD-Video, the program reservation window shown in Fig. 3 is displayed. As shown in Fig. 3, in addition to Disk, 20 words Title and Chapter are displayed in this order in a row. Under these words, input frames for a disk number, a title number and a chapter number are disposed. The frame in which a user is requested to enter a number, is highlighted as indicated at 11. Both DVD-Video and DVD-Audio have a 25 two-layer hierarchical structure. Although the program reservation window

20200706022650

shown in Fig. 1 may be used even if a disk corresponding to the disk number selected by a user is a DVD-Video. However, since the name of each level of DVD-Video is different from that of DVD-Audio, the program reservation window shown in Fig. 3 is used. A user can definitely confirm that the disk corresponding to the disk number selected by the user is a DVD-Video. It is also easy to make a user select Chapter. Chapter is a reproduction designation unit of DVD-Video.

Fig. 4 is a flow chart illustrating the operation of a program which 11
10 operates to store the hierarchical structure of disks placed in mount areas corresponding to respective disks. At S20 it is judged whether the disk hierarchical structure is acquired. If this judgment is YES, the flow advances to S21 whereat the acquired hierarchical structure is stored in a memory in correspondence with the disk number. If the judgement at S20 is NO, this 15
15 program is terminated. The disk hierarchical structure can be detected from disk management information which is read, for example, when some track of the disk is reproduced after the disk is placed in the mount area.

Fig. 5 is a flow chart illustrating the operation of a program which 11
10 operates to erase the hierarchical structure stored in the memory by the program shown in Fig. 4. It is judged at S24 whether there is a possibility that a disk is exchanged. If this judgement is YES, the flow advances to S25 whereat the disk number of the disk is detected and the hierarchical structure stored in the memory in correspondence with the disk number is erased. If the judgement at S24 is NO, this program is terminated. The possibility that a disk 25
25 is exchanged is, for example, a case that the tray accommodating a disk is protruded from the Carousel player and the disk together with the tray are exposed to allow the disk to be exchanged. In this case, although the user generally exchanges the disk with another disk, the user may not exchange the

disk even if the tray is protruded. The term "possibility" is therefore used to include both the cases.

Fig. 6 is a flow chart illustrating the operation of a program for program reservation. It is judged at S28 whether an operation mode is a program reservation mode. If this judgement is YES, the flow advances to S30, whereas if it is NO, this program is terminated. It is judged at S30 whether a user enters a disk number, and if the user enters the disk number, the flow advances to S32. It is judged at S32 whether the hierarchical structure of the disk (hereinafter called disk X) corresponding to the disk number entered at S30 can be acquired, i.e., whether the hierarchical structure of the disk X is stored in the memory. If this judgement is YES, the flow advances to S34, whereas if it is NO, the flow advances to S38. At S34 it is judged whether the disk X is a DVD-Audio. If this judgement is YES, i.e., if the disk X is a DVD-Audio, the flow advances to S36, whereas if it is NO, i.e., the disk X is a CD, the flow advances to S42. At S36 it is judged whether the group number is entered. After the group number is entered, the flow advances to S42. At S38 it is judged whether the group number is entered. If this judgement is YES, the flow advances to S42, whereas if it is NO, the flow advances to S40. At S40 it is judged whether there is an instruction to omit inputting the group number. If this judgement is YES, the flow advances to S42, whereas if it is NO, the flow returns to S38. At S42, the program is terminated after the user enters the track number. As above, if the disk hierarchical structure can be acquired, the input guide is provided in the input item order related to the hierarchical structure to request a user input. If the disk hierarchical structure cannot be acquired as yet, the input guide is provided in the input item order corresponding to the maximum number of levels of the hierarchical structure, and a user skips unnecessary input items.

192701-062260